

L Number	Hits	Search Text	DB	Time stamp
8	327	temporary adj storage with data adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:45
9	1	serial adj address adj bits with serial adj data adj bits with non\$volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:46
10	3	serial adj address adj bits with serial adj data adj bits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:51
11	59	serial adj address with serial adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:10
12	0	non\$lvolatile with program\$5 with stop adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:11
13	0	non\$lvolatile with program\$5 with stop adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:11
14	5	memory with program\$5 with stop adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:14
15	5	transmission adj (complete or end) with non\$lvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:18
16	9	transmission near (complete or end) with non\$lvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:19
17	0	transmission near (complete or end or finish) near indicator with non\$lvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:19
18	12	transmission near (complete or end or finish) near indicator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:21
19	17	stop adj bit adj detecting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:22
20	136	stop adj bit adj detect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:51
21	1546	sequential with transfer\$4 with stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:52

22	12	sequential with transfer\$4 with stor\$4 with non\$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 13:07
23	64	write adj buffer with (EPROM or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 13:15
24	0	write adj buffer with rewrite with (EPROM or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 13:15
25	0	write adj buffer with rewrite with non\$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 13:15
26	11	buffer with rewrite with non\$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 13:33
27	2	first adj group with data adj bits with nonvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 13:35
28	263	rewrite with data with nonvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 14:03
29	5442	program\$5 near non\$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 14:04
30	4382	program\$5 adj non\$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 14:37
31	1	program\$5 adj non\$1volatile with data adj transfer\$4 near control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 14:38
32	2	program\$5 near flash with data adj transfer\$4 near control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 14:38